

TABLE OF CONTENTS

| | |
|---------------|-----|
| PREFACE | iii |
|---------------|-----|

Porous Silicon

| | |
|---|----|
| High efficiency electroluminescence from anodically oxidized porous silicon | 3 |
| <i>Y. Show, S. Nozaki, H. Morisaki, M. Iwase, and T. Izumi</i> | |
| Quantum confinement in porous silicon as a function of size distribution of luminescent sites | 10 |
| <i>G. Dalba, N. Daldosso, P. Fornasini, M. Grimaldi, R. Grisenti, and F. Rocca</i> | |
| Anomalous Behavior of Polarization Memory in Oxidized Porous Silicon | 21 |
| <i>H. Koyama and P.M. Fauchet</i> | |
| Enhancing Efficiency and Stability of Porous Silicon Electroluminescence Using Electrochemical Techniques | 27 |
| <i>B. Gelloz and N. Koshida</i> | |
| Nonlinear Refractive Index Change in Porous Silicon Fabry-Perot Resonators | 35 |
| <i>M. Takahashi, Y. Toriumi, T. Matsumoto, Y. Masumoto, and N. Koshida,</i> | |

Si Superlattices and Photonic Crystals

| | |
|--|----|
| Wavy SiGe/Si Superlattices: Structural and Optical Properties and Application to Near Infrared Light Detection | 45 |
| <i>J.-M. Baribeau*, A. Delage, S. Janz, H. Lafontaine, D. J. Lockwood, J. McCaffrey, S. Moisa, N. Rowell, and D.-X. Xu</i> | |
| First Principle Calculations of the Optical Properties of Si Quantum Wells | 62 |
| <i>S. Ossicini and E. Degoli</i> | |
| Modifications in the Light Emission from Anisotropic 3-Dimensional Photonic Crystal | 78 |
| <i>S. Romanov, M. Muller, R. Zentel, T. Maka, and C. Sotomayor Torres</i> | |

| | |
|---|-----|
| Electronic Raman Scattering from Weakly Bound Electrons in Lightly Doped n-type GaAs | 96 |
| <i>D.J. Lockwood, M. Potemski, and M.L. Sadowski</i> | |
| Propagation and Localization of Vertically Polarized Plasmon-LO Phono Collective Excitations in Doped GaAs/AlAs Superlattices | 105 |
| <i>Yu.A. Pusep, M.T.O. Silva, N.T. Moshegov, P. Basmaji, and J.C. Galzerani</i> | |
| Bragg reflection, superradiant coupling, and giant Rabi splitting in system with resonantly distributed quantum wells | 118 |
| <i>D.H. Christensen</i> | |
| Thermalization of Hot Electrons and Thermionic Cooling of Superlattice | 130 |
| <i>C. Zhang and R. A. Lewis</i> | |
| Dynamic Characteristics of Current Hysteresis in Weakly Coupled Superlattices GaAs/AlGaAs | 137 |
| <i>G.K. Rasulova</i> | |

Optics in Quantum Dots and Nanostructures

| | |
|---|-----|
| Spontaneous Emission and Lasing Characteristics of 1.3 μ Quantum Dots | 149 |
| <i>D.G. Deppe*, D.L. Huffaker, O. Shchekin, S. Csutak, and G. Park</i> | |
| Phonon-Assisted Optical Transitions in Disk-Shaped Quantum Dots | 160 |
| <i>J.T. Devreese*, V.M. Fomin, S.N. Klimin, and J.-P. Leburton</i> | |
| Optical properties of single quantum dot | 172 |
| <i>Y. Arakawa*</i> | |
| Carrier Relaxation in Self-organized Stressor Quantum Dots: the Effect of Doping | 176 |
| <i>H. Lipsanen, H. Koskenvaara, J. Toivonen, M. Sopanen, and J. Ahopelto</i> | |
| Resonant Raman Study of the Topology of the InAs/GaAs Self-Assembled Quantum Dots | 181 |
| <i>G. Zanelatto, Yu.A. Pusep, N.T. Moshegov, A.I. Toropov, P. Basmaji, and J.C. Galzerani</i> | |

Nanoclusters, Nanoparticles and Nanotubes

| | |
|---|-----|
| Coulomb Crystals and Glasses for Self-Assembly of Nanoparticles | 189 |
| <i>P.F. Williams*, A. Belolipetski, A. Goussev, and M. E. Markes</i> | |
| Scanning Photoluminescence and Electroluminescence Microscopy of Semiconductor Nanostructures and Devices | 201 |
| <i>M. Zacharias*, P. Fischer, J. Christen, H. Nakashima, K. Hiramatsu, and M. Kamp</i> | |
| Electron Response to Ultrashort laser Pulses in Semiconductor and Metal Nanoparticles: Ge vs. Ga | 216 |
| <i>A. Stella, P. Tognini, S. De Silvestri, M. Nisoli, S. Stagira, P. Cheyssac, and R. Kofman</i> | |

| | |
|---|-----|
| Absorbance and Photoluminescence of Nanoparticles of Si, Ge, and MOS_2 Studied by Liquid Chromatography | 225 |
| <i>J.P. Wilcoxon, G.A. Samara, and P.P. Provencio</i> | |
| Improvement of Red Light Emission in H_2 Treated Silicon Nanocrystal .. | 240 |
| <i>K. Sato, Y. Sugiyama, T. Izumi, M. Iwase, Y. Show, S. Nozaki, and H. Morisaki</i> | |
| Magnetoexcitons on the Surface of Nanotubes | 246 |
| <i>A.V. Chaplik and L.I. Magarill</i> | |
| Nanocrystalline-TiO ₂ Thin Film for the Efficient Water Splitting Reaction | 252 |
| <i>S.U.M. Khan, J.C. Worthington, and M. Al-Shahry</i> | |
| X-ray Absorption Study of Ge-Nanocluster Films | 261 |
| <i>C. Bostedt, T. van Buuren, N. Franco, M. Balooch, T. Moller, and L. J. Terminello</i> | |
| Atomistic Simulation of Semiconductor Nanostructures by O(N) TBMD Method | 266 |
| <i>K. Masuda-Jindo, M. Menon, K. R. Subbaswamy, and R. Kikuchi</i> | |

Novel Nanoscale Devices

| | |
|---|-----|
| Precise Nanoelectronics with Adatom Chains | 283 |
| <i>T. Yamada*</i> | |
| A New Type of Superlattice: Semiconductor-Atomic-Superlattice | 294 |
| <i>R. Tsu, K. Dovidenko, and C. Lofgren</i> | |
| Novel fabrication Techniques for Silicon Single-Electron Devices | 302 |
| <i>Y. Takahashi,* Y. Ono, A. Fujiwara, K. Yamazaki, M. Nagase, H. Namatsu, K. Kurihara, and K. Murase</i> | |

Quantum Confined Electronics

| | |
|--|-----|
| Piezo-Doped [†] Low-Noise GaN Heterostructure Field Effect Transistors .. | 325 |
| <i>A. Balandin and K.L. Wang</i> | |
| Tunneling Properties of Holes Across InP/InGaAs and AlGaAs/GaAs Heterointerfaces in the Burnt-Foreman Formalism | 333 |
| <i>S. Ekbote, M. Cahay, and K. Roenker</i> | |
| Quantized conductance in narrow channel SOI MOSFETs | 348 |
| <i>J. Ahopelto, M. Prunnila, S. Eränen, M. Kamp, M. Emmerling, A. Forchel, A. Kristensen, P.E. Lindelof, and A. Gustafsson</i> | |
| Fault Rates in Nanochip Devices | 354 |
| <i>S. Spagocci and T. Fountain</i> | |
| The Anomalous Level shift due to Local Electric Modes of the Confined System | 369 |
| <i>S.V. Rotkin</i> | |

Quantum Dots and Mesoscopic Systems

| | |
|--|-----|
| Quantum Chaotic Transport in Mesoscopic Antidot Arrays | 377 |
| <i>T. Ando* and S. Uryu</i> | |
| Spin effects in artificial molecules | 392 |
| <i>S. Nagaraja and J.-P. Leburton</i> | |
| Microwave Spectroscopy of a Single Quantum Dot in the Few Electron Limit | 406 |
| <i>H. Qin, F. Simmel, A.W. Holleitner, R.H. Blick, J.P. Kotthaus, W. Wegscheider, and M. Bichler</i> | |
| Magnetic Properties of Self Assembled Fe Quantum Dashes | 413 |
| <i>L. Menon, M. Zheng, H. Zeng, D.J. Sellmyer, and S. Bandyopadhyay</i> | |

Quantum Well Infrared Photodetectors

| | |
|--|-----|
| Development of Simultaneous Multicolor Quantum Well Infrared Photodetector Focal Plane Arrays | 425 |
| <i>W. Dyer*</i> | |
| A Novel Quantum Well Infrared Photodetector with Digital Graded Superlattice Barrier for Long Wavelength and Broadband Detection | 436 |
| <i>J.-H. Lee, S.S. Li, M. Tidrow, W.K. Liu, and K. Bacher</i> | |
| Very-Long-Wavelength Quantum Well Infrared Photodetectors | 447 |
| <i>M. Tidrow, X. Jiang, S.S. Li, and A. Liu</i> | |
| Two-Color MW/LW QWIP FPA and Commercial One-Color LW QWIP FPA | 459 |
| <i>M. Sundaram, T. Faska, M. Taylor, R. Williams, A. Reisinger, and S. Wang</i> | |
| The Strong Blue-Shifted Photoluminescence from Amorphous Silicon- Nitride (a-SiN _x :H) Layers prepared by PECVD method | 474 |
| <i>Z. Pei, Y.R. Chang, H.L. Hsiao, and H.L. Hwang</i> | |
| Characteristics of Photovoltaic Wavelength -tunable Superlattice Infrared Photodetector | 485 |
| <i>M. C. Hsu, C. C. Chen, S. Y. Wang, and C. H. Kuan</i> | |

* Invited Speaker

| | |
|----------------------------|-----|
| AUTHOR INDEX | 497 |
| SUBJECT INDEX | 501 |